



# DECLARATION OF PERFORMANCE

DOP: MKFFUD1051201

1. Unique identification code of the product-type:

DOP: MKFFUD1051201

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

For use as internal flooring

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Kaindl Flooring GmbH, Kaindlstraße 2, 5071 Wals/Salzburg, Austria, [www.kaindl.com/DOP](http://www.kaindl.com/DOP)

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

5. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 3

6. In case of the declaration of performance concerning a construction product covered by a harmonised standard:

Name of the notified test laboratory, that has issued the certificate of conformity of the factory production control, inspection reports and calculation reports (if relevant).

NB 0534 ÖTI - Institut für Ökologie, Technik und Innovation  
GmbH, Spengergasse 20, A-1050 Wien  
NB 1359 Zertifizierungsstelle der Österreichischen Gesellschaft für Holzforschung, Franz-Grill Str. 7, A-1030 Wien  
NB 0766 Entwicklungs- und Prüflabor Holztechnologie  
GmbH, Zellescher Weg 24, D-01217 Dresden

Notified Body



not applicable

certificate of constancy of performance

7. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

not applicable

## 8. Declared performances

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	 D <sub>fl</sub> -s1	EN 14342:2013
Emission (release) of formaldehyde	 E1	EN 14342:2013
Emission (content) of pentachlorophenol	≤ 5 ppm	EN 14342:2013
Release of other dangerous substances	NPD	EN 14342:2013
Breaking strength	NPD	EN 14342:2013
Thermal conductivity	0,1070 W/(m·K)	EN 14342:2013
Slipperiness	USRV ≥ 54	EN 14342:2013
Durability (natural durability)	Use class 1	EN 14342:2013

9. The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above. Signed for and on behalf of the manufacturer by:

Konrad Grünwald CEO

(name and function)

04.12.2017 Salzburg/Austria

(place and date of issue)

(signature)